




A TOUCH OF SATISFACTION,
INSPIRED BY TECHNOLOGY

FOX DOMOTICS 

HOTEL DOOR LOCKS &
GUEST ROOM MANAGEMENT SYSTEM

INTELLIGENT HOTEL LOCK

EN12209 EN14846 EN1634-1 UL10C CE

Opera PMS



MODERN HOTEL LOCK



CLASSIC HOTEL LOCK



SPLIT HOTEL LOCK

PATENT DESIGN
SPLIT LOCK



S100






TECHNOLOGY CHANGES THE LIFE



S100-CR Satin Finish



S100-BN Black Nickel



Product Specification

Model	S100
Color	Golden/Black/Silver
System	Offline/ TTHOTEL/HTLOCK
Material	Stainless steel 304
Lock Cylinder	Level-C optional
Technology	RFID/ BLE
Power	4xAA alkaline battery(DC6v)
Door Type	Wood door
Door Thickness	40-60mm
Opening Direction	Left/Right open
Size	151*70mm 63*21.6mm
Mortise	ANSI Mortise
Unlock Way	IC Card, Wristband or Key



IC Card



Mechanical Key



Low Power Alarm



RFID



ANSI Mortise



Automatic Locking



Fire Certification

CLASSICAL HOTEL LOCK



OFFLINE



HTLOCK



TTHOTEL

C300


TECHNOLOGY CHANGES THE LIFE



C300-GG PVD Golden



C300-SS Satin Finish



Product Specification

Model	C300
Color	Silver/Golden/Black
System	Offline/ TTHOTEL/HTLOCK
Material	Stainless steel 304
Lock cylinder	Level-C optional
Technology	RFID/ BLE
Power	4xAA alkaline battery(DC6v)
Door Type	Wood door
Door thickness	30-65mm
Opening direction	Left/Right open
Size	Front:78*243*17.5mm Back:78*306*17.5mm
Mortise	ANSI Mortise
Unlock way	IC Card, Wristband or Key



IC Card



Mechanical
Key



Low Power
Alarm



RFID



ANSI
Mortise



Automatic
Locking




Fire
Certification

CLASSICAL HOTEL LOCK




E300

TECHNOLOGY CHANGES THE LIFE



Product Specification

Model	E300
Color	Silver/Black/Golden
System	Offline/ TTHOTEL/HTLOCK
Material	Stainless steel 304
Lock cylinder	Level-C optional
Technology	RFID/ BLE
Power	4xAA alkaline battery(DC6v)
Door Type	Wood door
Door thickness	30-65mm
Opening direction	Left/Right open
Size	Front:78*288*17.5mm Back:78*306*17.5mm
Mortise	ANSI Mortise
Unlock way	IC Card, Key



ALUMINUM HOTEL LOCK




E900

TECHNOLOGY CHANGES THE LIFE



E900-BN(Black Nickel)



Product Specification

Model	E900
Color	Black
System	Offline/ TTHOTEL/HTLOCK
Material	Aluminum Alloy+PC +Acrylic
Lock cylinder	Level-C optional
Technology	RFID/ BLE
Power	4xAA alkaline battery(DC6v)
Door Type	Wood door
Door thickness	35-65mm
Opening direction	Left/Right open
Size	50*290*18.5mm
Mortise	ANSI Mortise
Unlock way	IC Card, Key



IC Card



Mechanical Key



Low Power Alarm



RFID



ANSI Mortise



Automatic Locking

SLIM ELECTRONIC LOCK



OFFLINE



HTLOCK




TTHOTEL

E200

TECHNOLOGY CHANGES THE LIFE



E200-BN Black Finish E200-GG PVD Golden E200-SS Satin Finish



Product Specification

Model	E200
Color	Black /Silver/Golden
System	Offline/ TTHOTEL/HTLOCK
Material	Stainless steel 304
Lock cylinder	Level-C optional
Technology	RFID/ BLE
Power	4xAA alkaline battery(DC6v)
Door Type	Wood door
Door thickness	30-65mm
Opening direction	Left/Right open
Size	55*300*21.5mm
Mortise	ANSI Mortise
Unlock way	IC Card, Key



IC Card



Mechanical
Key



Low Power
Alarm



RFID



ANSI
Mortise



Automatic
Locking



Fire
Certification



ELEVATOR CONTROL

- Long reading distance (0~30mm)
- Support hotel guest card, no need extra software
- Three mode: free mode, Floor mode and Floor+time mode.
- Direct function: touch card and reach to the floor directly .
- Support public floor and valid time setting.
- Support audit trial function: 2000 records maximum.
- Fully compatible with the hotel locking software..
- Aluminum alloy reader with rubber gasket



EC02-16F

TECHNOLOGY CHANGES THE LIFE



Product Specification

Model	EC02-16F
Color	Black
Card type	Mifare card
Material	Flame retardant PC
Working current	1000mA
Time delay	15 seconds
Operating temperature	-40C - + 50C
Reading distance	0~30mm
Power supply	12VDC
Size	56X81X2.5 mm

INTRODUCTION

- Long reading distance (0~30mm)
- Support hotel guest card, no need extra software
- Three mode: free mode, Floor mode and Floor+time mode.
- Direct function: touch card and reach to the floor directly .
- Support public floor and valid time setting.
- Support audit trial function: 2000 records maximum.
- Fully compatible with the hotel locking software..
- Aluminum alloy reader with rubber gasket


WALL READER

Support the hotel system card
Reading distance: 0-3cm.
No need extra software, easy to use.
Available to control the electric drop bolt or
electromagnetic lock or elevator floor button.
Support wiegand 26 output signal.
Aluminum alloy reader with rubber gasket to prevent the
dust or water.




AC03-MF

TECHNOLOGY CHANGES THE LIFE




Product Specification

Model	AC03-MF
Color	Black
Card type	Mifare card
Material	Flame retardant PC
Working current	1000mA
Time delay	15 seconds
Operating temperature	-40C - + 50C
Reading distance	0~30mm
Power supply	12VDC
Size	56X81X10mm



OFFLINE HOTEL LOCK SYSTEM



Computer: Memory:500GB above, hard disk suggested 2G above, USB port required.
Software: Windows system, windows 7/8/10.
Database: Windows Access / Microsoft SQL server 2008 above.
Encoder: Read/write card and software registration.
Door Lock: Installed on each room.
LCD Handset: Configure room No.,adjust time, audit trial records etc.
RF Card: Unlock the door lock.
Printer: as request from the site.

LOCK SYSTEM ACCESSORIES

MCE02-17 CARD ENCODER

Technical Parameter

- Working voltage:DC5V
- Rated current:500mA
- Working humidity:RH 10%~90%
- working temperature:-20° C~55° C
- Reading speed:< 1 S
- Detect type: auto check

Specification

- Universal USB port, no need extra driver.
- Auto detect the card.
- Fast reading speed and stable to use
- Support one card system integration

PHD01-16 LCD HANDSET


Technical Parameter

- Working voltage: DC3V
- Static current: < 10 uA
- Working current: <100mA
- Storage humidity: RH 5%~95%
- Working temperature:-25~70°C
- Reading speed: < 1 S
- Size: 177.6 x 85 x 30mm

Specification

- One station solution, no need special room setting card
- Fast and correct time adjustment
- Special system checking for hardware and firmware
- Easy to check the card information
- Convenient to check audit trial records
- Support checkout function,

TTHOTEL ONLINE SYSTEM



Elevator Control

APP Unlock


Password Unlock

IC Card Unlock

HTLOCK HOTEL MANAGEMENT SYSTEM

Networked Hotel Lock System

The HTLOCK software system is one new online system which is based on cloud server to provide more features like room management, device management, room state, authorization for staffs, master card management, audit trial report and abnormal check in alarm and PMS integration etc. The software enabled the functions to unlock with card, mobile app or wechat etc, also it supports the offline system like master card, building card or floor card.



On premise solution,
no need to keep data in supplier cloud



Local+cloud
framework to avoid internet issue




Smart system to adjust time
and low power alarm, reduce management cost



Simple operation
for PMS/Kiosk integration



SOME OF OUR VALUABLE CLIENTS



FOX DOMOTICS 

Call Us: +91 8879216165
+91 9819503090
E-mail Id: sales@foxdomotics.com
www.foxdomotics.com

Manufacturing Unit

#115, Jinam Industrial Estate, Dhumal Nagar, Waliv, Vasai East, Dist. Palghar -401208 Maharashtra, India

DUBAI / UAE / KSA / EGYPT / OMAN / QATAR / BAHRAIN / NIGERIA / GHANA / BANGLADESH / SRILANKA / NEPAL